

## 1. Identification

**Product identifier** Tpcm 780SP  
**Other means of identification** None.  
**Recommended use** Industrial use.  
**Recommended restrictions** None known.

### Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** Laird  
**Address** 4707 Detroit Ave Cleveland, Ohio 44102  
 USA  
**Telephone number** +1-216-939-2300  
**Email** clv-customerservice@lairdtech.com

**Manufacturer** Laird  
**Address** C3&C4 Building, HongTai Industry Park, NO.87 Tai Feng Road, TEDA,  
 Tianjin, China  
**Telephone number** +86(0)22-66298160

**Corporate Office** Laird PLC  
**Address** 100 Pall Mall, London, SW1Y 5NQ  
 United Kingdom  
**Telephone number** +44 (0)20 7468 4040

**Emergency telephone number** Within USA and Canada: 1-800-424-9300 (Chemtrec). Other Countries: +1-703-527-3887.  
**Telephone hours** 24 hours per day, 7 days per week. Collect calls accepted.

## 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 3  
**Health hazards** Aspiration hazard Category 1  
**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Danger  
**Hazard statement** Flammable liquid and vapor. May be fatal if swallowed and enters airways.

### Precautionary statement

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection.

**Response** If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

Supplemental information None.

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name | CAS number | %     |
|---------------|------------|-------|
| Solvent       | 64742-48-9 | 0 - 7 |

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting.

**Most important symptoms/effects, acute and delayed** Exposure may cause temporary irritation, redness, or discomfort. Aspiration may cause pulmonary edema and pneumonitis.

**Indication of immediate medical attention and special treatment needed** Treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

**General information** Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

**Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Dry sand. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire. Carbon dioxide (CO<sub>2</sub>).

**Specific hazards arising from the chemical** Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

**Fire fighting equipment/instructions** In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** Flammable liquid and vapor.

#### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

### Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components               | Type | Value                            |
|--------------------------|------|----------------------------------|
| Solvent (CAS 64742-48-9) | PEL  | 400 mg/m <sup>3</sup><br>100 ppm |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components               | Type | Value                            |
|--------------------------|------|----------------------------------|
| Solvent (CAS 64742-48-9) | TWA  | 400 mg/m <sup>3</sup><br>100 ppm |

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Skin protection

##### Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

#### Skin protection

##### Other

Wear suitable protective clothing.

#### Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

#### Physical state

Solid, Liquid.

#### Form

Encapsulated product diluted with a solvent

#### Color

Gray.

#### Odor

Mild solvent.

#### Odor threshold

Not applicable.

#### pH

Not applicable.

#### Melting point/freezing point

Not available.

#### Initial boiling point and boiling range

Not applicable.

|   |                                |
|---|--------------------------------|
| <b>Flash point</b>                                  | 129.2 °F (54.0 °C) (ASTM D-56) |
| <b>Evaporation rate</b>                             | Not applicable.                |
| <b>Flammability (solid, gas)</b>                    | Not applicable.                |
| <b>Upper/lower flammability or explosive limits</b> |                                |
| <b>Flammability limit - lower (%)</b>               | > 0.7 %                        |
| <b>Flammability limit - upper (%)</b>               | < 5.4 %                        |
| <b>Vapor pressure</b>                               | Not applicable.                |
| <b>Vapor density</b>                                | Not applicable.                |
| <b>Relative density</b>                             | Not available.                 |
| <b>Solubility(ies)</b>                              |                                |
| <b>Solubility (water)</b>                           | Negligible.                    |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.                 |
| <b>Auto-ignition temperature</b>                    | 649.4 °F (343 °C)              |
| <b>Decomposition temperature</b>                    | Not available.                 |
| <b>Viscosity</b>                                    | Not available.                 |
| <b>Other information</b>                            |                                |
| <b>Bulk density</b>                                 | 2.1 - 2.48 g/cc at 25 °C       |
| <b>Explosive properties</b>                         | Not applicable.                |
| <b>Oxidizing properties</b>                         | Not applicable.                |
| <b>VOC (Weight %)</b>                               | 5 - 10 %                       |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.  |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.  |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.  |
| <b>Conditions to avoid</b>                | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Strong oxidizing agents.   |
| <b>Hazardous decomposition products</b>   | Carbon oxides. Metal oxides.   |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.   |
| <b>Skin contact</b> | No adverse effects due to skin contact are expected.   |
| <b>Eye contact</b>  | Direct contact with eyes may cause temporary irritation.   |
| <b>Ingestion</b>    | Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. |

**Symptoms related to the physical, chemical and toxicological characteristics**      Aspiration may cause pulmonary edema and pneumonitis. Exposure may cause temporary irritation, redness, or discomfort.

### Information on toxicological effects

|  |   |
|--|---|
| <b>Acute toxicity</b>                    | Not expected to be acutely toxic.                         |
| <b>Skin corrosion/irritation</b>         | Prolonged skin contact may cause temporary irritation.    |
| <b>Serious eye damage/eye irritation</b> | Direct contact with eyes may cause temporary irritation.  |
| <b>Respiratory or skin sensitization</b> |   |
| <b>Respiratory sensitization</b>         | Not a respiratory sensitizer.                             |
| <b>Skin sensitization</b>                | This product is not expected to cause skin sensitization. |

|   |  |
|---|--|
| <b>Germ cell mutagenicity</b>   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>  | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                                  |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>         | Not listed.  |
| <b>NTP Report on Carcinogens</b>                                      | Not listed.  |
| <b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b> | Not regulated.   |

|   |  |
|---|--|
| <b>Reproductive toxicity</b>                              | This product is not expected to cause reproductive or developmental effects. |
| <b>Specific target organ toxicity - single exposure</b>   | Not classified.  |
| <b>Specific target organ toxicity - repeated exposure</b> | Not classified.  |
| <b>Aspiration hazard</b>                                  | May be fatal if swallowed and enters airways.                                |
| <b>Chronic effects</b>                                    | Prolonged inhalation may be harmful.   |

## 12. Ecological information

|                                      |  |
|--------------------------------------|--|
| <b>Ecotoxicity</b>                   | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| <b>Persistence and degradability</b> | No data is available on the degradability of this product.   |
| <b>Bioaccumulative potential</b>     | No data available.   |
| <b>Mobility in soil</b>              | The product is insoluble in water.   |
| <b>Other adverse effects</b>         | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.            |

## 13. Disposal considerations

|  |  |
|--|--|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.   |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.   |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).   |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.   |

## 14. Transport information

|                                     |   |
|-------------------------------------|---|
| <b>DOT</b>                          |   |
| <b>UN number</b>                    | UN1268  |
| <b>UN proper shipping name</b>      | Petroleum distillates, n.o.s. or Petroleum products, n.o.s. (Naphtha (petroleum), hydrotreated heavy) |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 3   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 3   |
| <b>Packing group</b>                | III   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling.                               |
| <b>Special provisions</b>           | 144, B1, IB3, T4, TP1, TP29   |
| <b>Packaging exceptions</b>         | 150   |
| <b>Packaging non bulk</b>           | 203   |
| <b>Packaging bulk</b>               | 242   |
| <b>IATA</b>                         |   |
| <b>UN number</b>                    | UN1268  |
| <b>UN proper shipping name</b>      | Petroleum products, n.o.s. (Naphtha (petroleum), hydrotreated heavy)                                  |

**Transport hazard class(es)****Class** 3**Subsidiary risk** -**Packing group** III**Environmental hazards** No.**ERG Code** 3L**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**IMDG****UN number** UN1268**UN proper shipping name** PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S. (NAPHTHA (PETROLEUM), HYDROTREATED HEAVY)**Transport hazard class(es)****Class** 3**Subsidiary risk** -**Packing group** III**Environmental hazards****Marine pollutant** No.**EmS** F-E, S-E**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.**15. Regulatory information****US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Filler (CAS 1314-13-2) LISTED

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - Yes  
Pressure Hazard - No  
Reactivity Hazard - No**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** Yes**SARA 313 (TRI reporting)**

| Chemical name | CAS number | % by wt. |
|---------------|------------|----------|
| Filler        | 7429-90-5  | 61 - 76  |
| Filler        | 1314-13-2  | 0 - 12   |

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.**US state regulations****US. Massachusetts RTK - Substance List**

Filler (CAS 1314-13-2)

Filler (CAS 7429-90-5)

Solvent (CAS 64742-48-9)

**US. New Jersey Worker and Community Right-to-Know Act**

Filler (CAS 1314-13-2)

Filler (CAS 7429-90-5)

Solvent (CAS 64742-48-9)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Filler (CAS 1314-13-2)

Filler (CAS 7429-90-5)

Solvent (CAS 64742-48-9)

**US. Rhode Island RTK**

Filler (CAS 1314-13-2)

Filler (CAS 7429-90-5)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 19-February-2016

**Revision date** -

**Version #** 01

**HMIS® ratings** Health: 1  
Flammability: 2  
Physical hazard: 0

**NFPA ratings**



**Disclaimer**

Laird cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.